

IN THE CLAIMS:

Kindly amend claims 1-4 as follows:

C1
1. (Currently Amended) A kit containing (A) a first layer foundation composition and (B) a second layer finishing composition,


(A) said first layer foundation composition ~~consisting of~~ containing:

~~(1) a composition containing i.) a silicone oil having a viscosity of 15,000,000 cps or less as measured at 25°C and a powder ingredient;~~

~~(2) a composition containing a siliconated polysaccharide compound, and a silicone oil having a low viscosity and/or a powder ingredient; or (ii) a polyether-modified silicone represented by the following formula,~~

iii) water, and

iv) (3) a composition containing i) a silicone oil, ii) a polyether modified silicone represented by the following formula, iii) water, and iv) hydrophobic powder:



wherein B represents a methyl group, a phenyl group, or a polyoxyalkylene group represented by the formula $\text{C}_3\text{H}_6\text{O}(\text{C}_2\text{H}_4\text{O})_b(\text{C}_3\text{H}_6\text{O})_c\text{R}^{13}$; R^{13} represents a hydrogen atom, an acyl group, or a C1-C4 alkyl group; each of b and c represents an integer of 5-50; R^{12} represents a methyl group or a phenyl

group; m represents an integer of 50-1,000; n represents an integer of 1-40; and the molecule contains at least one polyoxyalkylene group represented by the above formula; and

(B) said second layer finishing composition containing ~~consisting of~~

i) ~~a composition containing~~ a first powder having a regular reflection percentage of 1% or less in an amount of 1-100 wt.% on the basis of the entirety of the finishing composition, and

ii) a second powder, at least one of a regular reflection percentage and a diffuse reflection percentage of which is more than 5%, in an amount of less than 10 wt.%, on the basis of the entirety of the finishing composition.

2. (Currently Amended) The kit according to claim 1, wherein the amount of first powder of said second layer finishing composition is 10-100 wt.% on the basis of the entirety of the finishing composition.

3. (Currently Amended) The kit according to claim 1, wherein the first powder of said second layer finishing composition has a refractive index of 1.3-2.0.

4. (Currently Amended) The kit according to claim 1, wherein the first layer foundation composition (3) contains 20.0-80.0 wt.% of silicone oil, 2.0-30.0 wt.% of the polyether-modified silicone, 0.2-80.0 wt.% of the water, and 1.0-60.0 wt.% of the hydrophobic powder.

Kindly add new Claims 5 and 6 as follows:

5. (New) A kit containing (A) a first layer foundation composition and B) a second layer finishing composition,

(A) said first layer foundation composition containing a silicone oil having a viscosity of 15,000,000

cps or less as measured at 25°C and a power ingredient; and

(B) said second layer finishing composition containing

i) a first powder having a regular reflection percentage of 1% or less and a diffuse reflection percentage of 1% or less, in an amount of 1-100 wt.% on the basis of the entirety of the finishing composition, and

ii) a second powder, at least one of a regular reflection percentage and a diffuse reflection percentage of which is more than 5%, in an amount of less than 10 wt.% on the basis of the entirety of the finishing composition.

6. (New) A kit containing (A) a first layer foundation composition and (B) a second layer finishing composition,

(A) said first layer foundation composition containing a siliconated polysaccharide compound, and a silicone oil having a low viscosity and/or a powder ingredient; and

(B) said second layer finishing composition containing

i) a first powder having a regular reflection percentage of 1% or less and a diffuse reflection percentage of 1% of less, in an amount of 1-100 wt.% on the basis of the entirety of the finishing composition, and

ii) a second powder, at least one of a regular reflection percentage and a diffuse reflection percentage of which is more than 5%, in an amount of less than 10 wt.% on the basis of the entirety of the finishing composition.